



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

State Reports for May, 1916.

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Kansas—Continued.	
Woodruff County.....	1	Crawford County—	
		Pittsburg.....	1
Kansas:		Lyon County.....	1
Barber County.....	1	Total.....	4
Bourbon County.....	1		

City Reports for Week Ended June 24, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	4	1	Kansas City, Mo.....	1	1
Chicago, Ill.....	2		Newark, N. J.....	1	
Cleveland, Ohio.....	1	2	New Orleans, La.....	1	1
Dubuque, Iowa.....	1	1	New York, N. Y.....	5	4
Fall River, Mass.....	1		St. Louis, Mo.....	1	1
Hartford, Conn.....	1		Springfield, Ill.....		1

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1866.

ERYSIPELAS.

City Reports for Week Ended June 24, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Allentown, Pa.....	1		Nashville, Tenn.....	1	
Ann Arbor, Mich.....	1	1	Newark, N. J.....	6	
Boston, Mass.....		4	New York, N. Y.....		2
Bridgeport, Conn.....	3		Passaic, N. J.....	1	1
Buffalo, N. Y.....	3	1	Philadelphia, Pa.....	7	4
Butte, Mont.....		1	Pittsburgh, Pa.....	11	1
Chicago, Ill.....	15	2	Portland, Ore.....	1	
Cincinnati, Ohio.....	2		Reading, Pa.....	2	
Cleveland, Ohio.....	2	2	Rochester, N. Y.....	3	
Detroit, Mich.....	2	2	St. Louis, Mo.....	8	
Erie, Pa.....	1		St. Paul, Minn.....	1	1
Hartford, Conn.....	1		San Francisco, Cal.....	1	
Los Angeles, Cal.....	3		Schenectady, N. Y.....	1	
Milwaukee, Wis.....	6		Seattle, Wash.....	3	
Montclair, N. J.....	1				

MALARIA.**State Reports for May, 1916.**

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Calhoun County.....	22	Phillips County.....	46
Crittenden County.....	15	Polk County.....	3
Dallas County.....	10	Pope County.....	13
Faulkner County.....	7	Saline County.....	22
Franklin County.....	59	Scott County.....	76
Garland County.....	2	Sevier County.....	1
Greene County.....	10	Sharp County.....	43
Hempstead County.....	15	St. Francis County.....	6
Izard County.....	11	Washington County.....	2
Lawrence County.....	1	White County.....	
Logan County.....	5	Total.....	390
Marion County.....	5		
Monroe County.....	1	Kansas.....	3
Ouachita County.....	8		
Perry County.....	4		

City Reports for Week Ended June 24, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Little Rock, Ark.....	2		Portsmouth, Va.....		1
Mobile, Ala.....	3		Richmond, Va.....	2	
New Orleans, La.....	2	1	Stockton, Cal.....	2	
Newton, Mass.....	1				

MEASLES.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1866.

PELLAGRA.**State Reports for May, 1916.**

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Bradley County.....	4	Saline County.....	1
Crittenden County.....	4	St. Francis County.....	10
Drew County.....	14	Stone County.....	1
Garland County.....	5	White County.....	1
Greene County.....	2	Woodruff County.....	1
Hempstead County.....	1	Total.....	62
Izard County.....	1		
Monroe County.....	1	Kansas:	
Perry County.....	1	Harper County.....	1
Phillips County.....	14		
Pope County.....	1		

City Reports for Week Ended June 24, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	1		New York, N. Y.....	2	1
Charleston, S. C.....		1	Roanoke, Va.....	1	1
Chattanooga, Tenn.....		1	Washington, D. C.....	1	1
Cleveland, Ohio.....	21		Wilmington, N. C.....	8	
Mobile, Ala.....	1	1	Worcester, Mass.....		2
Nashville, Tenn.....	20				

PLAGUE.**Louisiana—Gretna—Plague-Infected Rat Found.**

Passed Asst. Surg. Simpson reported that a rat trapped June 1, 1916, at Gretna, La., was proven positive for plague infection June 29, 1916.

Louisiana—New Orleans—Plague-Infected Rats Found.

Passed Asst. Surg. Simpson reported that 7 additional plague-infected rats were found at New Orleans, La., as follows: One trapped June 12, 1916, at 2605 Tchoupitoulas Street, was proven positive June 29; one captured June 17, at 2908 Gravier Street, was proven positive June 30; one captured June 16, at 1525 Dryades Street, positive June 30; one captured May 24, at the Southern Pacific Morgan Warehouse "A," positive June 30; one trapped June 6, at 515 Magazine Street, positive June 30; one trapped June 12, at Melpomene and Broad Streets, positive June 30; and one captured June 15, at 223 Poydras Street, was proven positive June 30, 1916.

PNEUMONIA.**City Reports for Week Ended June 24, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Binghamton, N. Y.....	7	3	New Castle, Pa.....	1	
Braddock, Pa.....	2		Newport, Ky.....	1	1
Chicago, Ill.....	69	28	Pasadena, Cal.....	1	1
Detroit, Mich.....	4	5	Philadelphia, Pa.....	26	14
Dubuque, Iowa.....	1	1	Pittsburgh, Pa.....	7	7
Kalamazoo, Mich.....	3		Rochester, N. Y.....	12	1
Kansas City, Mo.....	1	5	Salt Lake City, Utah.....	23	1
Lancaster, Pa.....	1		San Francisco, Cal.....	13	8
Los Angeles, Cal.....	3	1	Schenectady, N. Y.....	1	
Manchester, N. H.....	1	1	Wilkesburg, Pa.....	1	1
Newark, N. J.....	9				

POLIOMYELITIS (INFANTILE PARALYSIS).**Its Present Distribution in the United States.**

In view of the existence of epidemic poliomyelitis in New York City, telegrams were sent to the various State health officers, and also to officers of the Public Health Service stationed throughout the United States, asking whether there were cases of poliomyelitis in their respective localities. The replies received indicate that the disease is not known to be epidemic outside of New York City and that there are comparatively few sporadic cases of which the State or city health departments have record. The following gives the information received regarding the recent occurrence of cases:

Arizona.

State Superintendent of Health R. N. Looney reported July 8, 1916: One case poliomyelitis Mesa, Ariz., in three-year-old child; developed July 1.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Arkansas.**

Collaborating Epidemiologist Garrison reported July 7, 1916: Two cases poliomyelitis notified Little River County.

California.

The California State Board of Health reported July 8: Probable poliomyelitis case reported at San Francisco, came from New York few days since. July 10: Two cases poliomyelitis reported from San Francisco, 2 from Los Angeles within last 30 days, 1 suspected case at Weed, Siskiyou County.

San Francisco.—Senior Surg. Williams reported July 7: One case poliomyelitis San Francisco June 5, still in isolation hospital. Senior Surg. Pierce reported July 10: Total number of cases of poliomyelitis to date 3, one from 235 East Seventh Street, New York City, arrived San Francisco June 30.

Connecticut.

The State health officer of Connecticut reported July 7: Connecticut has 3 cases poliomyelitis, Bridgeport, Stamford, New Haven; 1 death Stonington last week.

Georgia.

Rome.—Assist. Surg. Slaughter reported July 10: One case of poliomyelitis reported in Rome, Ga.; white child 2 years of age.

Idaho.

The State health officer of Idaho reported July 10: One case poliomyelitis in Boise.

Illinois.

The State health officer of Illinois reported July 11: Complete report of poliomyelitis situation in Illinois: Confirmed cases—Chicago 6, Blue Island 2, Kankakee 1, Streator 1, Standard 2, Gibson City 1, near Oregon 1, Belleville 4, East St. Louis 4, Quincy 1, Freeport 1, near Cherry 1. Suspected cases—Virden 1, Eureka 1, Maroa 1, Dalton City 1, Decatur 1, Dixon 2, Belleville 1, Granville 1.

Chicago.—Surg. Cobb reported July 12: Health department reports 18 cases poliomyelitis, with 9 deaths, during 1916; 7 cases in July; no deaths, all cases quarantined.

Iowa.

The State health officer reported July 8: Conditions in Iowa no different than usual; few isolated cases poliomyelitis reported.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Kansas.**

Collaborating Epidemiologist Crumbine reported July 7: One case poliomyelitis in Cowley County. July 10: Case notified from McPherson.

Kentucky.

Louisville.—Passed Asst. Surg. Herring reported July 11: Three positive cases and one suspicious case poliomyelitis in Louisville.

Louisiana.

Collaborating Epidemiologist Dowling reported July 8: Poliomyelitis New Orleans, May 1, July 2; elsewhere, May 3, June 4.

Maryland.

Collaborating Epidemiologist Fulton reported July 7: Three cases poliomyelitis outside Baltimore since January 1; one suspicious case under observation in Anne Arundel County; one death yesterday in Baltimore, origin Anne Arundel County.

Baltimore.—Surg. Vogel reported July 7: One death poliomyelitis at University Hospital, child 4 years old. July 8: Second case poliomyelitis this morning.

Massachusetts.

Collaborating Epidemiologist Kelley reported July 11: Sixteen cases anterior poliomyelitis to date this month; no immediate danger of epidemic.

Michigan.

The health officer of Michigan reported July 7: Twenty-one cases poliomyelitis reported from 17 counties since January 1; Detroit reports 4 deaths, only 3 cases since June 1.

Detroit.—Senior Surg. Austin reported July 10: One case infantile paralysis reported in Detroit yesterday, origin unknown. July 12: Second case reported to-day.

Minnesota.

Collaborating Epidemiologist Bracken reported July 7: Ten poliomyelitis cases reported to State Board of Health in 1916. January—Anoka County, Bethel, 1; Dakota County, Lakeville Township, 1. March—Todd County, Burnhamville Township, 1. May—Stearns County, St. Cloud, 1. June—Ramsey County, St. Paul, 2; Stearns County, Rockville Township, 1. July—Hennepin County, Minneapolis, 2; Ramsey County, St. Paul, 1.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Mississippi.**

Collaborating Epidemiologist Stingily reported July 7: Poliomyelitis in Lawrence County, 10 cases; 12 cases in Simpson County, rural, not confined to any one locality.

Missouri.

St. Louis.—Surg. White reported July 7: One case poliomyelitis, 7 months old infant, reported to-day.

Nebraska.

The State health inspector of Nebraska reported July 11: Two cases poliomyelitis reported in State to date.

New Jersey.

The State health officer of New Jersey reported July 8: Four cases poliomyelitis reported for June; 14 for July.

New York.

The Director of the Division of Communicable Diseases of the State Department of Health of New York reported July 8: 45 cases poliomyelitis in New York State outside of New York City; 24 in June, 21 in July to date. They are distributed as follows: In June—Hudson 11, Beacon 3, North Hempstead 2, Jasper 1, Babylon, 1, Amityville 1, Hornell 1, Kingston 1, Farmingdale 3. In July, to date—Hudson 3, Beacon 1, Farmingdale 2, North Hempstead 2, Yonkers 1, Warwick 1, Copaque 2, Fishkill 1, Huntington 1, Ardsley 1 (Brooklyn case), Roslyn 1, Glen Cove 1, Phillipstown 1, Albany 2 (Brooklyn cases), Poughkeepsie 1.

New York City.—Surg. Lavinder reported July 13: 117 new cases, 24 deaths; total to date, 1,557 cases, with 311 deaths. Situation about the same.

Ohio.

The State Board of Health of Ohio reported July 8: Thirty-one cases poliomyelitis reported from January 1 to May 31; in June, 4 cases.

Cleveland.—Surg. Holt reported July 8: Four cases of poliomyelitis notified in Cleveland.

Oregon.

The State health officer of Oregon reported July 7: Case poliomyelitis reported Lebanon May 14; case Union reported May 22 not verified yet.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

Pennsylvania.

The State health officer of Pennsylvania reported July 8: Two cases Philadelphia, 1 Pittsburgh, 1 South Bethlehem, yesterday; no epidemic Pennsylvania.

Pittsburgh.—Surg. Schereschewsky reported July 8: One case poliomyelitis reported in Pittsburgh; illness began 2 weeks ago; not reported till yesterday. July 10: Additional case poliomyelitis reported this day; total 2 cases.

South Dakota.

The State health officer of South Dakota reported July 7: No case poliomyelitis reported this month; last case reported June 5.

Tennessee.

The State health officer of Tennessee reported July 7: Seven cases poliomyelitis reported in June.

Texas.

The assistant State health officer of Texas reported July 7: One case poliomyelitis reported to-day, Edna, Tex.

Virginia.

The State health commissioner of Virginia reported July 7: One case each infantile paralysis reported Luray, Page County, and Ceres, Bland County.

Washington.

Collaborating Epidemiologist Tuttle reported July 10: One case poliomyelitis reported from Auburn, King County.

West Virginia.

The State health commissioner of West Virginia reported July 7: In March, 1 case each Monongalia and Wood Counties; in April, 1 case each in Monongalia, Taylor, and Wood Counties; none since.

Wisconsin.

The State health officer of Wisconsin reported July 7: Since July 1 4 cases infantile paralysis West Bend, 2 Menasha; 9 cases for June.

City Reports for Week Ended June 24, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicago, Ill.....	4		New York, N. Y.....	95	12
Evansville, Ind.....	1		Philadelphia, Pa.....		1
Newark, N. J.....	2		Toledo, Ohio.....	1	

RABIES.**City Reports for Week Ended June 24, 1916.**

During the week ended June 24, 1916, there were reported by cities one case of and five deaths from rabies as follows: One case and one death at Mobile, Ala.; three deaths at El Paso, Tex.; and one death at Harrisburg, Pa.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1866.

SMALLPOX.**Porto Rico.**

Surg. King reported, by telegraph, that during the week ended July 2, 1916, additional cases of smallpox were notified as follows: Bayamon, 1; Naranjito, 4; San Juan, 4; Toa Alta, 12.

Kansas Report for May, 1916.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Kansas:						
Allen County.....	1				1	
Brown County.....	10				10	
Butler County.....	2					2
Cherokee County.....	9				4	5
Crawford County.....	9				9	
Pittsburg.....	4					4
Dickinson County.....	4			3		1
Ford County.....	9				2	7
Gove County.....	1		1		1	
Harper County.....	1		1		1	
Harvey County.....	1		1		1	
Hodgeman County.....	1				1	
Jewell County.....	6				6	
Kingman County.....	1		1			
Labette County.....	5				3	2
Parsons.....	14		1		2	11
Lane County.....	2			1	1	
Leavenworth County.....	1					
Leavenworth.....	1					1
Marshall County.....	4				1	3
Meade County.....	1		1		1	
Montgomery County.....	3				3	
Coffeyville.....	3				3	
Morris County.....	1				1	
Morton County.....	1					1
Neosho County.....	2					2
Osborne County.....	30				24	6
Pawnee County.....	1					1
Pottawatomie County.....	1					
County.....	1					1
Reno County.....	1					1
Rooks County.....	3				1	2
Sedgwick County.....	37		3	1	11	22
Wichita.....	2				2	
Shawnee County.....	5			1	4	
Topeka.....	7			1	4	2
Smith County.....	17				15	2
Stevens County.....	4					4
Sumner County.....	2					2
Wabaunsee County.....	3					3
Wyandotte County.....						
Kansas City.....	21					21
Total.....	230		5	7	112	106

SMALLPOX—Continued.**City Reports for Week Ended June 24, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Butte, Mont.....	2		Oklahoma, Okla.....	6	
Chicago, Ill.....	2		Omaha, Nebr.....	2	
Coffeyville, Kans.....	1		St. Louis, Mo.....	1	
Detroit, Mich.....	20		St. Paul, Minn.....	2	
Kalamazoo, Mich.....	1		San Diego, Cal.....	1	
Kansas City, Mo.....	4		Seattle, Wash.....	2	
Knoxville, Tenn.....	1		Sioux City, Iowa.....	3	
Kokomo, Ind.....	1		Springfield, Ill.....	2	
Lexington, Ky.....	2		Springfield, Ohio.....	1	
Muscatine, Iowa.....	5		Tacoma, Wash.....	1	
New Orleans, La.....	3		Toledo, Ohio.....	8	
New York, N. Y.....	1		Wichita, Kans.....	1	

TETANUS.**City Reports for Week Ended June 24, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Allentown, Pa.....	1	1	New York, N. Y.....	2	1
Chicago, Ill.....	1	2	Toledo, Ohio.....		1
New Orleans, La.....		2			

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1866.

TYPHOID FEVER.**Tennessee—Memphis.**

Senior Surg. White reported, July 8, 1916, that typhoid fever was epidemic in Memphis, Tenn., 95 cases of the disease having been notified since June 1, 1916.

State Reports for May, 1916.

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Kansas—Continued.	
Bradley County.....	1	Doniphan County.....	1
Faulkner County.....	1	Ellis County.....	1
Greene County.....	2	Ellsworth County.....	1
Izard County.....	1	Franklin County.....	6
Logan County.....	1	Gray County.....	1
Marion County.....	2	Greenwood County.....	2
Pope County.....	1	Jewell County.....	2
Fulaski County.....	2	Labette County.....	1
Saline County.....	1	Logan County.....	1
Sevier County.....	4	Lyon County.....	1
Sharp County.....	1	Miami County.....	4
St. Francis County.....	3	Montgomery County.....	3
Washington County.....	1	Coffeyville.....	1
White County.....	1	Nemaha County.....	1
Total.....	22	Neosho County.....	2
		Pawnee County.....	1
Kansas:		Reno County—	
Allen County.....	1	Hutchinson.....	2
Anderson County.....	1	Rice County.....	1
Bourbon County—		Riley County.....	1
Fort Scott.....	1	Scott County.....	1
Butler County.....	2	Seward County.....	2
Chase County.....	1	Shawnee County.....	1
Clark County.....	1	Topeka.....	3
Coffey County.....	1	Sumner County.....	3
Cowley County.....	1	Wyandotte County—	
Crawford County.....	1	Kansas City.....	2
Dickinson County.....	3	Total.....	56

TYPHOID FEVER—Continued.**City Reports for Week Ended June 24, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Allentown, Pa.	1	—	New Haven, Conn.	4	1
Ann Arbor, Mich.	1	—	New London, Conn.	6	1
Baltimore, Md.	13	3	Newport, R. I.	1	—
Berkeley, Cal.	1	—	Newton, Mass.	1	—
Boston, Mass.	2	—	New York, N. Y.	40	5
Buffalo, N. Y.	1	3	Norfolk, Va.	4	—
Cambridge, Mass.	1	—	Orange, N. J.	2	1
Camden, N. J.	7	—	Philadelphia, Pa.	11	2
Charleston, S. C.	11	2	Pittsburgh, Pa.	7	2
Chattanooga, Tenn.	3	—	Pittsfield, Mass.	1	—
Chicago, Ill.	16	—	Portsmouth, Va.	2	—
Cleveland, Ohio.	3	—	Providence, R. I.	1	—
Columbus, Ohio.	15	—	Reading, Pa.	1	—
Detroit, Mich.	6	—	Richmond, Va.	3	—
Elgin, Ill.	3	—	Sacramento, Cal.	1	—
Evansville, Ind.	1	—	Saginaw, Mich.	1	—
Everett, Mass.	1	—	St. Louis, Mo.	2	—
Galveston, Tex.	7	—	Salt Lake City, Utah.	1	—
Grand Rapids, Mich.	1	—	San Diego, Cal.	1	—
Hartford, Conn.	—	1	San Francisco, Cal.	4	—
Jersey City, N. J.	1	—	Saratoga Springs, N. Y.	1	—
Kalamazoo, Mich.	1	—	Schenectady, N. Y.	1	—
Knoxville, Tenn.	1	—	South Bend, Ind.	1	—
Kokomo, Ind.	1	—	Springfield, Ill.	2	—
Lancaster, Pa.	1	—	Springfield, Ohio.	1	1
Lawrence, Mass.	1	—	Stockton, Cal.	1	—
Little Rock, Ark.	2	—	Tacoma, Wash.	2	—
Los Angeles, Cal.	6	2	Toledo, Ohio.	3	1
Lowell, Mass.	1	—	Troy, N. Y.	1	—
Lynchburg, Va.	1	—	Washington, D. C.	4	1
Milwaukee, Wis.	2	1	Wheeling, W. Va.	1	—
Mobile, Ala.	2	—	Wichita, Kans.	1	—
Nashville, Tenn.	15	2	Wilmington, Del.	5	—
Newark, N. J.	1	—	Worcester, Mass.	1	—
New Bedford, Mass.	2	—	York, Pa.	1	—

TYPHUS FEVER.**Texas—Brownsville.**

One case of typhus fever was reported at Brownsville, Tex., July 11, 1916.

City Reports for Week Ended June 24, 1916.

During the week ended June 24, 1916, there were reported, by cities, 9 cases and 1 death from typhus fever, as follows: 2 cases at El Paso, Tex., 6 cases at Fall River, Mass., and 1 case at New York, N. Y., and 1 death at El Paso, Tex.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.**State Reports for May, 1916.**

During the month of May, 1916, 3 cases of diphtheria, 227 cases of measles, and 14 cases of scarlet fever were reported in Arkansas; 88 cases of diphtheria, 2,821 cases of measles, and 175 cases of scarlet fever were reported in Kansas.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended June 24, 1916.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	584,605	140	5	—	65	—	14	—	44	17
Boston, Mass.	745,139	—	54	3	320	6	20	—	51	20
Chicago, Ill.	2,447,045	454	119	15	158	2	153	3	227	56
Cleveland, Ohio.	656,975	151	21	1	77	1	16	—	47	24
Detroit, Mich.	554,717	166	80	7	20	—	45	1	50	18
New York, N. Y.	5,468,190	1,311	394	27	676	10	87	3	367	144
Philadelphia, Pa.	1,683,664	408	55	4	163	1	27	—	124	45
Pittsburgh, Pa.	571,984	145	16	4	153	5	12	1	28	19
St. Louis, Mo.	745,988	155	29	3	119	2	20	—	26	13
From 300,000 to 500,000 inhabit- ants:										
Buffalo, N. Y.	461,335	184	11	—	6	—	13	—	40	18
Cincinnati, Ohio.	406,706	125	12	2	30	1	2	—	27	13
Jersey City, N. J.	300,133	71	18	1	18	1	18	—	11	9
Los Angeles, Cal.	465,367	117	3	—	41	—	7	—	53	17
Milwaukee, Wis.	428,062	84	12	1	33	—	30	1	18	10
Newark, N. J.	399,000	93	22	1	102	1	31	—	74	12
New Orleans, La.	366,484	149	6	—	23	—	2	—	25	20
San Francisco, Cal.	1,416,912	114	22	1	1	—	9	—	19	10
Seattle, Wash.	330,834	52	—	1	322	—	2	—	8	6
Washington, D. C.	358,679	—	1	—	128	1	2	1	21	12
From 200,000 to 300,000 inhabit- ants:										
Columbus, Ohio.	209,722	71	1	—	52	1	6	—	12	7
Kansas City, Mo.	289,879	—	7	1	35	—	15	—	1	7
Portland, Oreg.	272,833	48	1	—	8	—	11	—	3	6
Providence, R. I.	250,025	47	8	2	8	2	14	—	—	3
Rochester, N. Y.	250,747	69	5	2	92	2	—	—	9	—
St. Paul, Minn.	241,999	51	6	2	50	—	11	—	8	9
From 100,000 to 200,000 inhabit- ants:										
Bridgeport, Conn.	118,434	38	5	—	3	—	1	—	2	1
Cambridge, Mass.	111,669	21	5	—	43	—	—	—	7	4
Camden, N. J.	104,349	—	6	—	3	—	2	—	4	—
Fall River, Mass.	126,904	30	3	—	5	—	1	—	8	5
Grand Rapids, Mich.	125,759	19	1	—	3	—	10	—	1	—
Hartford, Conn.	108,969	—	2	—	14	—	2	—	3	2
Lowell, Mass.	112,124	29	1	—	99	—	—	—	4	4
Lynn, Mass.	100,316	25	—	—	—	—	—	—	—	2
Nashville, Tenn.	115,978	48	—	—	11	—	—	—	3	2
New Bedford, Mass.	114,694	34	5	1	18	—	2	—	6	2
New Haven, Conn.	147,095	—	1	—	14	1	2	—	2	1
Oakland, Cal.	190,803	—	1	1	3	—	5	—	2	2
Omaha, Nebr.	—	42	4	1	9	—	7	1	—	5
Reading, Pa.	105,094	26	—	—	3	—	2	—	5	3
Richmond, Va.	154,674	55	2	—	120	2	4	—	2	7
Salt Lake City, Utah.	113,567	15	1	—	133	—	9	—	—	1
Springfield, Mass.	103,216	27	7	—	20	—	—	1	1	2
Syracuse, N. Y.	152,534	37	20	1	36	—	2	—	10	3
Tacoma, Wash.	108,094	—	3	—	27	—	—	—	3	—
Toledo, Ohio.	187,840	57	8	—	16	—	23	—	6	11
Trenton, N. J.	109,212	40	5	—	—	—	1	—	7	6
Worcester, Mass.	160,523	53	7	1	37	2	1	—	3	1
From 50,000 to 100,000 inhabit- ants:										
Allentown, Pa.	61,901	21	6	—	5	—	—	—	—	—
Atlantic City, N. J.	55,806	6	—	—	11	—	2	—	1	—
Bayonne, N. J.	67,582	—	1	—	9	—	2	—	6	—
Berkeley, Cal.	54,879	6	—	—	—	—	5	—	—	—
Binghamton, N. Y.	53,082	28	—	—	31	1	—	—	1	1
Brockton, Mass.	65,746	15	2	—	17	1	—	—	2	3
Canton, Ohio.	59,139	11	—	—	4	—	—	—	—	1
Charleston, S. C.	60,427	23	—	—	9	—	—	—	—	3
Chattanooga, Tenn.	58,576	22	—	—	—	—	4	—	—	3
Covington, Ky.	56,520	16	3	—	—	—	1	—	2	3
Duluth, Minn.	91,913	—	2	—	—	—	2	—	—	—
El Paso, Tex.	51,936	55	1	—	2	—	2	—	—	8
Erie, Pa.	73,798	29	—	—	32	1	—	—	—	1
Evansville, Ind.	72,125	14	—	—	1	—	—	—	—	4
Harrisburg, Pa.	70,754	22	2	—	6	—	—	—	—	3
Hoboken, N. J.	76,104	19	2	1	20	—	9	—	6	—

¹ Population Apr. 15, 1910; no estimate made.

DIPHThERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended June 24, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 50,000 to 100,000 inhabit- ants—Continued.											
Johnstown, Pa.	66,585	30	1		3	1	1			4	
Lancaster, Pa.	50,269				41				1		
Lawrence, Mass.	98,197	24	2		11		3				
Little Rock, Ark.	55,158	21			1						
Malden, Mass.	50,067				23				3		
Manchester, N. H.	76,959	20	1		3		2		2	2	
Mobile, Ala.	56,536	23			1				8	2	
Norfolk, Va.	88,076				11				5	5	
Oklahoma, Okla.	88,158	13			10		1			2	
Passaic, N. J.	69,010	13	2		1		1		2	1	
Pawtucket, R. I.	58,156	13	5								
Rockford, Ill.	53,761	16	1		2		2			1	
Sacramento, Cal.	64,806	16	1						2	1	
Saginaw, Mich.	54,815	15	1		4		1		2	2	
San Diego, Cal.	51,115	21	2		8				4	2	
Schenectady, N. Y.	95,263	17			9		7		1	1	
Sioux City, Iowa.	55,588		1	1			3				
Somerville, Mass.	85,460	14	1		3		2		2	3	
South Bend, Ind.	67,030	22	2		11		3				
Springfield, Ill.	59,468	19	1		4		1				
Springfield, Ohio.	50,804	12			1		1		3	1	
Troy, N. Y.	77,738		1		16		2		5	7	
Wichita, Kans.	67,847				1		4				
Wilkes-Barre, Pa.	75,218	15	1		7		1				
Wilmington, Del.	93,161		1	1	3						
York, Pa.	50,543				2				2		
From 25,000 to 50,000 inhabit- ants:											
Alameda, Cal.	27,031	6									
Auburn, N. Y.	36,947	14			28		1		2		
Brookline, Mass.	31,934	3	1		4						
Butler, Pa.	26,587	6			10					1	
Butte, Mont.	42,918	29	1	1	4				3	7	
Chelsea, Mass.	132,452	16	1		1		3		4	1	
Chicopee, Mass.	28,688	6	1		16		3	1	1	1	
Cumberland, Md.	25,564	3			4						
Danville, Ill.	31,554	7							4	1	
Davenport, Iowa.	47,127		3		1		3				
Dubuque, Iowa.	39,650		1		5		2		1	1	
East Orange, N. J.	41,155	4			26		2				
Elgin, Ill.	27,844	4	1								
Everett, Mass.	38,307	5	1		2		1		2	1	
Everett, Wash.	33,767	8			10		1			4	
Fitchburg, Mass.	41,144	13	2	1	26		1		4	1	
Galveston, Tex.	41,076	12									
Haverhill, Mass.	47,774	12	4	1	4		2		4	3	
Kalamazoo, Mich.	47,364	9			16		1		1		
Kenosha, Wis.	30,319	10			39	1					
Knoxville, Tenn.	38,300				5				3		
La Crosse, Wis.	31,522	12	1							2	
Lexington, Ky.	39,703	16	1						1	2	
Lincoln, Nebr.	46,028		4	1	2		2		2	1	
Lorain, Ohio.	35,662		1		4		1				
Lynchburg, Va.	32,385	6			2				3	1	
Medford, Mass.	25,737	7			3		1		1	1	
Montclair, N. J.	25,550	3	1		11				3	2	
New Castle, Pa.	40,351	2	1		12						
Newport, Ky.	31,722	12					3		1	1	
Newport, R. I.	29,631	2									
Newton, Mass.	43,085	7			24		1				
Niagara Falls, N. Y.	36,240	17			11					1	
Norristown, Pa.	30,833	9	1								
Ogden, Utah.	30,466	4	2		2		3				
Orange, N. J.	32,524	8			15				3		
Pasadena, Cal.	43,859	11	1		2		1		8	2	
Pittsfield, Mass.	37,580	10	1				1			1	
Portsmouth, Va.	38,610	14	1							1	
Racine, Wis.	45,507		1		7		1				

¹ Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended June 24, 1916—Continued.

City.	Popula- tion as of July 1, 1915 estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 Inhabit- ants—Continued.										
Roanoke, Va.	41,925	12			32				1	2
San Jose, Cal.	37,994	7							1	
Steubenville, Ohio.	26,631	8								
Stockton, Cal.	34,508	7	4						1	1
Superior, Wis.	45,285	7	2		3					1
Taunton, Mass.	35,957	15	1	1	1				1	
Waltham, Mass.	30,129	7			7				1	
West Hoboken, N. J.	41,893	5	1		2		1		3	2
Wheeling, W. Va.	43,097	7			3					
Williamsport, Pa.	33,495		1							
Wilmington, N. C.	28,264	10			1				1	1
Zanesville, Ohio.	30,406	7								
From 10,000 to 25,000 inhabitants:										
Ann Arbor, Mich.	14,979	12							1	
Braddock, Pa.	21,310				3				2	
Cairo, Ill.	15,593	3								1
Clinton, Mass.	¹ 13,075	3			3		2		2	
Coffeyville, Kans.	16,765		1		1					
Concord, N. H.	22,480	9								
Galesburg, Ill.	23,923	5			49	1				
Kearny, N. J.	22,753	7			16					2
Kokomo, Ind.	20,312	2			1				1	
Long Branch, N. J.	15,057	3			1					
Marinette, Wis.	¹ 14,610				22					
Melrose, Mass.	17,166	5								
Morristown, N. J.	13,158	2			19					
Nanticoke, Pa.	22,441	4					1			
Newburyport, Mass.	15,195	6					1			
New London, Conn.	20,771	5	1		18				1	
Northampton, Mass.	19,846	5			11		1		1	1
Plainfield, N. J.	23,280	8	1		2				1	
Rutland, Vt.	14,624	4			1		2			
Sandusky, Ohio.	20,160		1		23					
Saratoga Springs, N. Y.	12,842	7			1				4	1
Steelton, Pa.	15,337	3							2	
Wilkinsburg, Pa.	22,361	8			1					
Woburn, Mass.	15,862	12								

¹ Population Apr. 15, 1910; no estimate made.